



**Department of Energy**

**Ohio Field Office  
Fernald Area Office**

P. O. Box 538705  
Cincinnati, Ohio 45253-8705  
(513) 648-3155



**2057**

**DEC 21 1998**

Mr. James A. Saric, Remedial Project Manager  
U.S. Environmental Protection Agency  
Region V-SRF-5J  
77 West Jackson Boulevard  
Chicago, Illinois 60604-3590

**DOE-0288-99**

Mr. Tom Schneider, Project Manager  
Ohio Environmental Protection Agency  
401 East 5<sup>th</sup> Street  
Dayton, Ohio 45402-2911

Dear Mr. Saric and Mr. Schneider:

**ON-SITE DISPOSAL FACILITY CELL 2 CONSTRUCTION QUALITY ASSURANCE FINAL REPORT**

This letter transmits the On-Site Disposal Facility (OSDF) Cell 2 Construction Quality Assurance Final Report. This report summarizes the construction Quality Assurance and Quality Control (QA/QC) activities performed by GeoSyntec Consultants, Inc. (GeoSyntec), during the construction of Cell 2 of the OSDF. The activities performed by GeoSyntec included monitoring of:

- soils construction
- geosynthetics installation
- leachate collection system and leak detection system construction
- placement of protective layer

The construction QA/QC activities were performed to confirm that the construction materials and procedures were in compliance with the construction drawings, technical specifications, OSDF Construction Quality Assurance Plan, and approved changes.

DEC 21 1998

Mr. James A. Saric  
Mr. Tom Schneider

-2-

If you have any questions regarding this transmittal, please contact Jay Jalovec at (513) 648-3122.

Sincerely,



Johnny W. Reising  
Fernald Remedial Action  
Project Manager

FEMP:Jalovec

## Enclosure

## cc w/enclosure:

R. J. Janke, OH/FEMP  
D. Pfister, OH/FEMP  
P. Yerace, OH/FEMP  
G. Jablonowski, USEPA-V, SRF-5J  
T. Schneider, OEPA-Dayton (3 copies total of enc.)  
F. Bell, ATSDR  
M. Schupe, HSI GeoTrans  
R. Vandegrift, ODH  
F. Barker, Tetra Tech  
AR Coordinator, FDF/78

## cc w/o enclosure:

N. Hallein, EM-42/CLOV  
J. Reising, OH/FEMP  
A. Tanner, OH/FEMP  
R. Beaumier, TPSS/DERR, OEPA-Columbus  
M. Rochette, OEPA- Columbus  
D. Carr, FDF/52-2  
T. Hagen, FDF/65-2  
L. Hampshire, FDF/52-3  
J. Harmon, FDF/90  
R. Heck, FDF/2  
M. Hickey, FDF/64  
S. Hinnefeld, FDF/90  
U. Kumthekar, FDF/64  
T. Walsh, FDF/65-2  
EDC, FDF/52-7